

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"6246878".pn.	US-PGPUB; USPAT	OR	ON	2005/10/31 14:09
S3	0	S1 and (synchroniz\$\$5 synchronis\$5 sequence "sequence number" "data fragments") with ("RNC or radio network controller")	US-PGPUB; USPAT	OR	ON	2005/10/24 11:36
S4	1	S1 and (synchroniz\$\$5 synchronis\$5 sequence "sequence number" "data fragments")	US-PGPUB; USPAT	OR	ON	2005/10/24 11:37
S5	1	S1 and ("Radio network controller" or RNC)	US-PGPUB; USPAT	OR	ON	2005/10/24 11:37
S6	578	455/442.ccls.	US-PGPUB; USPAT	OR	ON	2005/10/24 13:08
S7	14	S6 and ((chang\$3 new) near2 (RNC or "radio network controller"))	US-PGPUB; USPAT	OR	ON	2005/10/24 13:43
S8	1	"20040077355".pn.	US-PGPUB; USPAT	OR	ON	2005/10/24 13:53
S9	3	Krenik.in. and 455/450.ccls.	US-PGPUB; USPAT	OR	ON	2005/10/24 14:01
S10	45	Krenik.in. or Parnasik.in. and 455/450.ccls.	US-PGPUB; USPAT	OR	ON	2005/10/24 16:12
S11	36	(hand\$1off hand\$1over) with (chan\$3 new) near (RNC or "radio network controller")	US-PGPUB; USPAT	OR	ON	2005/10/24 16:14
S12	18	("5911120" "6134446" "6137783" "6137791" "6167280" "6223035" "6272338").PN. OR ("6404754").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/24 16:37
S13	1	"6862450".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/24 16:37
S14	9	("20010018345" "20010034228" "20010046863" "20020107019" "5790528" "5850607" "6230013" "6590905" "6661782").PN. OR ("6862450").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/24 16:37
S15	1	"6862450".pn.	US-PGPUB; USPAT	OR	ON	2005/10/25 09:44
S16	28	(soft adj (hand\$1off or hand\$1over)) same ((source serv\$3 old) adj (RNC or "radio network controller")) same ((drift\$3 new chang\$3) adj (RNC or "radio network controller"))	US-PGPUB; USPAT	OR	ON	2005/10/25 10:14

S17	5	("6131030" "6212380" "6374112" "6473442" "6529490" "EP740486").PN. OR ("6889050").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 10:36
S18	0	(new chang\$3) near2 (RNC or "radio network controller") and 455/436,437,438,439,442,444,447,502,	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:17
S19	0	(new chang\$3) near5 (RNC or "radio network controller") and 455/436,437,438,439,442,444,447,502,	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:07
S20	0	(soft adj (hand\$1off or hand\$1over)) with (SRNC TRNC RNC or "radio network controller") and 455/436,437,438,439,442,444,447,502,	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:09
S21	65	(soft adj (hand\$1off or hand\$1over)) with (SRNC TRNC RNC or "radio network controller") and 455/436,437,438,439,442,444,447,502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:09
S22	55	(new chang\$3) near2 (RNC or "radio network controller") and 455/436,437,438,439,442,444,447,502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:20
S23	13	("20020064144" "20030114158" "20030125028" "4706275" "5379447" "5444766" "5530693" "5732359" "5839070" "6061565" "6122511" "6466556" "6466790").PN. OR ("6725044").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 12:02
S24	1	"20050026633".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 14:14
S25	2	ep-1107622-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:15

S26	16	transceiver near3 (assign\$3 giv\$3) near2 ("IP address" address) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:21
S27	11	transceiver near3 (assign\$3 giv\$3) near2 ("IP address")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:27
S28	1	transceiver near3 (assign\$3 giv\$3) near2 ("IP address") with internet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:27
S29	1	transceiver near3 (assign\$3 giv\$3) near3 ("IP address") with internet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:27
S30	11	transceiver near3 (assign\$3 giv\$3) near3 ("IP address")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:28
S31	11	transceiver near4 (allocat\$3 assign\$3 giv\$3) near3 ("IP address")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:29
S32	24	transceiver with (allocat\$3 assign\$3 giv\$3) with ("IP address")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:45
S33	23	transceiver near3 ("IP address") near5 internet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:48

S34	27	transceiver near3 ("IP address") with internet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:49
S35	31	transceiver near3 ("IP address") same internet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:49
S36	6	S35 and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:52
S37	29	transceiver near5 ("IP address") near8 (internet "public network")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:54
S38	68	transceiver near3 ("IP address")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:54
S39	13	transceiver near3 ("IP address") and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:57
S40	25	S38 and "370"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:12
S41	3	transceiver near5 ("IP address") near4 (inetnet or "IP network")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 15:28

S42	3	transceiver near5 protocol with (security encrypt\$3 Qos "quality of service") same internet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 15:32
S43	41	transceiver with protocol same (security encrypt\$3 Qos "quality of service") same internet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 15:40
S44	62	protocol near5 (QOS "quality of service") near5 (security encrypt\$3 decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 17:26
S45	0	transceiver near5 (QOS "quality of service") near5 (security "secure communication") same protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 16:19
S46	0	transceiver near3 (QOS or "quality of service") near5 (security secure "secure communication") same protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 16:21
S47	1	transceiver same (QOS or "quality of service") near5 (security secure "secure communication") same protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 16:25
S48	2	protocol near3 (provide\$3 allow\$3) near4 (security secure "secure communication") near4 (QOS "quality of service")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 16:27
S49	7	protocol near5 (QOS "quality of service") near5 (security encrypt\$3 decrypt\$3) and 370/338,352,401. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 17:27

S50	7	protocol same (QOS "quality of service") same (security encrypt\$3 decrypt\$3) and 455/414.1,550.1, 552.1,73.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 17:28
S51	214	chang\$3 near3 (RNC or "radio network controller")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 18:05
S52	58	chang\$3 near3 (RNC or "radio network controller") and (soft adj (hand\$1off hand\$over))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 18:07
S53	2	wo-9638990-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 16:50
S54	105	(soft adj (hand\$1off hand\$1over)) same ("sequence number" frame fragments piece) same ((tim\$3 near transmission) synchroniz\$5 synchronis\$5)	US-PGPUB; USPAT	OR	ON	2005/10/28 08:53
S55	1	haroon.xa.	US-PGPUB; USPAT	OR	ON	2005/10/28 08:53
S56	8	("20020173284" "4079318" "4406017" "5175729" "5748683" "6148186" "6157260" "6229399").PN. OR ("6959175"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 08:55
S57	30	("4337463" "4521897" "5245634" "5268933" "5388102" "5473668" "5586119" "5590160" "5659569" "5663715" "5793757" "5872820" "5883897" "5912886" "5920557" "5940381").PN. OR ("6373834"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 13:50
S58	257	(transmission adj timing) and 370/352,324,331,336,337,350.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 13:51

S59	269	(transmission adj timing) and 370/352,324,331,336,337,350.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 13:52
S60	20	(transmission adj timing) and (soft adj (hand\$1off hand\$1over)) and 370/352,324,331,336,337,350.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 13:55
S61	117	(transmission adj timing) same (synchroniz\$6 synchronis\$6) and 370/352,324,331,336,337,350.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:52
S62	0	jp-1051376-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:02
S63	0	jp-51376-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:58
S64	2	"6373834".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:23
S65	4	"6246878".pn.",6230013".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:52
S66	788	(synchroniz\$6 synchronis\$6) same delay and 370/352,324,331,336,337,350.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:55

S67	80	S66 and (soft adj (hand\$1off hand\$1over))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:53
S68	27	(synchroniz\$6 synchronis\$6) same delay same (soft adj (hand\$1over hand\$1off)) and 370/352,324,331, 336,337,350.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:55
S69	4	"6078813".pn.",6532364".pn.", 5175867".pn.",6055427".pn.	US-PGPUB; USPAT	OR	ON	2005/10/31 14:09
S70	13	("4696027" "4718081" "4765753" "5056109" "5159593" "5267261" "5285447" "5287544" "5491717" "5491837" "5621723" "5901354").PN. OR ("6078813").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/31 14:12
S71	36	(soft adj (hand\$1off hand\$1over)) same (PSMM or RSS or "signal strength" or "pilot signal strength") same (MSC or "mobile switching center")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 17:46
S72	4	((divid\$3 adj (data information)) or fragment or (piece near2 data)) same (soft adj (hand\$1off hand\$1over))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 17:58
S73	42	((divid\$3 adj (data information)) or fragment or (piece near2 data)) same (hand\$1off hand\$1over)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 17:59
S74	0	MSC near3 (stop\$3 cancel\$6) near4 (soft adj (hand\$1off hand\$1over))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:14
S75	0	MSC with (stop\$3 cancel\$6) near4 (soft adj (hand\$1off hand\$1over))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:15

S76	7	MSC with (determin\$5 discover\$3 chang\$3 stop\$3 cancel\$6) near4 (soft adj (hand\$1off hand\$1over))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:22
S77	4	MSC with (determin\$5 discover\$3 chang\$3) with (RNC or "radio network controller" BSC "base station controller") same (soft adj (hand\$1off hand\$1over))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:23